

Minnesota Department of Transportation – Bridge Office  
**REVISION LOG** for Figure 5-397.508

December 2, 2015 Page 1 of 3

**Figure 5-397.508**  
**MN54" Prestressed Concrete Beam (Pretensioned) MN54-\_\_\_**

Approved, and signed, October 26, 2005. Last date revised: December 2, 2015

**Revised 12-02-2015**

At END VIEW:

- Changed the note under the END VIEW title to read: Cut strands flush with concrete. Cover ends with sealant per approved products list "Bridge-Prestressed Beams-Cut Strand Sealant."
- Slightly adjusted the location of the draped strands to show top strands 3" down from the top of the beam.
- Changed the G403E bar to G303E and the G507E to G307E.

At BEAM ELEVATION:

- Break lines, a designer note and additional reinforcement spacing dimensions were added to better clarify the G507E (now G307E) confinement bar.
- The note for the "Optional: 3" Max. Dia. Sleeve for hauling..." has been changed to circled note ⑫ and the note has moved under the General Notes.
- The term "Bursting" was changed to "Splitting" in the designer note at the beam end.
- Bars G608E and G609E have been added to the alternate spacing dimension near the end of the beam.
- A 3" dimension was added near the end of the beam to clarify the starting location for 2- G608E bars.
- Changed the G403E bar to G303E and the G507E to G307E.

At SECTION AT CL SPAN:

- Changed the note on the right side of the web from "1/4" CLR. (TYP.)" to "1 1/4" CLR."
- Added note "1 1/8" CLR. and circled note 13 at the lower left corner.
- Changed bar G403E to G303E.

At Y DISTANCES Table:

- Added circled note 5.

At CONCRETE END DIAPHRAGMS and STEEL INTERMEDIATE DIAPHRAGM:

- Changed the look of the elevation views to better represent the actual beam flanges and web.
- Added Designer Note: "Min. Distance between threaded insert and end of beam is 3"."

At PRESTRESSING STRAND DIAMETER Table:

- Removed the table and changed the Designer Note from "Place an "X" in the appropriate box to indicate the strand diameter used for the design. Round concrete strength to one tenth KSI." to "Indicate min. required concrete strength, round concrete strength to one tenth KSI."

At GENERAL NOTES:

- Removed the note "Approximate weight of beam is \_\_\_ tons."
- Changed circled note 5 from "Use 7-wire low relaxation prestressing strand, conforming to ASTM A416, grade 270." to "Use 0.6" dia. 7-wire low relaxation prestressing strand, conforming to ASTM A416, grade 270."
- Added circled note 12 "Optional: 3" Max. Dia. Sleeve for hauling..."
- Added circled note 13 "Typ. Clr. for entire bottom flange."

At Bar Details:

- Changed G403E to G303E and G507E to G307E.

**Re-Approved 01-13-2015**

At the Y DISTANCES TABLE:

- Changed note from "(IN INCHES)" to "(INCHES)" to the end of the table title.

At CAMBER DIAGRAM:

- Changed the "Initial Total Camber" to "Erection Camber" in the detail.
- Changed the 1<sup>st</sup> Camber Diagram note to read: "Erection camber given is after diaphragms are in place."
- Within the 2<sup>nd</sup> Camber Diagram note, changed the word "Railing" to "Barrier"

**Minnesota Department of Transportation – Bridge Office**  
**REVISION LOG for Figure 5-397.508**

December 2, 2015 Page 2 of 3

- Changed the 3<sup>rd</sup> Camber Diagram note to read: “Contractor will take elevations at top of beams after erection and will allow for deflection shown to enable building forms to correct grade and specified slab thickness. Provide copy of elevations to the engineer”

At GENERAL NOTES:

- Removed the 1<sup>st</sup> note: “Tops of beams shall be rough floated and broomed transversely for bond.”
- Changed the 3<sup>rd</sup> note to read: Mark each beam showing bridge number, casting date, and individual identification letters and numbers on the face of the beam, near the end, so located that they will be exposed after the end diaphragms have been cast. Mark fascia beams on the inside face. Ensure all markings are stencilled and clearly legible. For location of beams, see framing plan.
- In the 4<sup>th</sup> note: Changed the word “shall” to “is” and removed the “Mn/DOT” reference.
- Added Note: “Apply an approved sealer to the sides of the beam near each end per the special provisions.”
- Changed numbered note ⑤ to read: Use 7-wire low relaxation prestressing strand, conforming to ASTM A416, grade 270.
- Added to the end of numbered note ⑥: Beams detailed to include a tapered plate per standard figure B309 must include sole plate.
- Added numbered note ⑦: Dimensions determined by contractor. Maintain 2” minimum clear from strands.
- Added numbered note ⑧: Two inside bars may be placed adjacent to vertical stirrup for tying convenience.
- Added numbered note ⑨: Steel trowel to smooth finish and apply bond breaker per approved products list.
- Added numbered note ⑩: Rough float and broom transversely for bond per spec. 2405.3.D.

REINFORCEMENT CHANGE:

- Increased bar sizes, G505E and G508E to G605E and G608E throughout the standard. Also added bar G609E to the bar bend details and the beam end at the “Beam Elevation”.

At END VIEW:

- Added numbered note ③ to the dimension for the G806E bar spacing.
- Added 1 ¼” clr. to the G605E bar designation.
- Changed the subtitle to read: Cut strands flush with concrete. Cover ends with one component polyurethane sealant per approved product list. (G609E bar not shown)

At BEAM ELEVATION:

- Changed the bursting reinforcement spacing from 2 ½” to 3” in the designer note at the beam end.
- Changed the look of the sole plate to match the updated B303 detail.
- Added clearance dimension “G605E 2” CLR.” in the top flange at the beam end.
- Added the Optional: 3” dia. sleeves for hauling the beam along with the accompanying dimensions and notes.
- Changed the web reinforcement at the beam end to an alternating sequence with the G608E and G609E bars. Also changed the accompanying notes.

At DETAIL “A”:

- Changed threaded rod note to read “3/4” dia. x 2’-0” rod 2” threaded. See spec. 2405.3.K for coating requirements”

At SECTION AT ¼ SPAN:

- Added dimension lines and numbered notes at the top flange location for smooth or rough finish guidance.

**Revised 04-17-2013**

This standard was updated to convert reinforcing bar marks from metric to U.S. customary bar designations.

**Revised 10-22-2009**

Added “ROUND CONCRETE STRENGTH TO ONE TENTH KSI.” to the designer note under the Minimum Concrete Strength Table.

At MINIMUM CONCRETE STRENGTH TABLE:

- Changed wording in the table title: from “P.S.I.” to “K.S.I.”

**Minnesota Department of Transportation – Bridge Office**  
**REVISION LOG for Figure 5-397.508**

December 2, 2015 Page 3 of 3

- Added KSI to the table that lists concrete strength.

At CALCULATED PRESTRESS LOSSES TABLE:

- Added “TOTAL LOSSES .....KSI” row to the table.

At SECTION AT CENTERLINE SPAN:

- Added bar designation “G1001E” to the top tie bar.

At DETAIL “A”:

- Changed note to read “3/4” DIA. x 2’-0” ROD 2” THREADED. SEE SPECIAL PROVISIONS FOR COATING REQUIREMENTS”

At CONCRETE END DIAPHRAGM:

- Changed sub-title from “INTEGRAL ABUTMENT (SEE B815 FOR DIAPHRAGM DETAILS)” to “SEE SUPERSTRUCTURE DETAILS AND REINFORCEMENT FOR DIAPHRAGM DETAILS”

At BEAM ELEVATION:

- Added horizontal lines representing the top and bottom flanges.

**Revised 04-22-2009**

ADDED: “CALCULATED PRESTRESS LOSSES” box to the sheet.

REVISED: The input data fields to show dashed lines to indicate where designer needs to input information.

At CONCRETE END DIAPHRAGM:

- Changed the sub-title to read: “INTEGRAL ABUTMENT (SEE B815 FOR DIAPHRAGM DETAILS)”

**Approved, and signed, October 26, 2005**

NEW STANDARD