



PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 6401
TRUNK HIGHWAY 14
COUNTY Redwood
DISTRICT 7B-8 B

LIMITS: W. Co. Line - E. Co. Line.

YEAR BUILT	PROJECT N°	DESCRIPTION			CODE N°
		TYPE	WIDTH	THICKNESS	
		Gravel	20	2"	No Record of Constr.
1920	14-7-9	Gravel Br. 1199	20	3"	1200 C.Y./Mile 110 L.T.
1921	14-7-22	Br. 3527			75' Bridge.
1926	14-7-32	Grading Gravel	24	2"	Maint. Dept.
1931	14-7-31-B&C 14-7-31-2	Grading Gravel 5-Bridges (2)	40 30 27	1/2"	800 C.Y./Mile.
1932	14-7-31-C&2	Gravel	30	1 1/2"	200-500 C.Y./Mile.
1933	14-7-31-C&D 14-7-31-2	Concrete	20	9-9	
1934	14-7-31-E	Concrete	20	9-9	
1935	14-7-31-F	Concrete	20	9-9	
1937	14-7-31-i	Roadside Develop.			Remove R.R. Fence.
C	1954 6401-01	Traffic Signals			
C	1964 Br. Crew	(Raise Portals) Br. 5035			Increase Vertical Clearance to 16'
M	1971 SF	Joint Seal			
M	1972 SF	Joint Seal			116,550 lbs.



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.
1921	1925	25.63	23.15	0.04	2.44	0.00	25.59	0.04	0.00	0.00
1926	1930	25.57	23.15	0.04	2.38	0.00	25.53	0.04	0.00	0.00
1931	1950	24.70	22.33	0.04	2.33	0.00	24.66	0.04	0.00	0.00
1951	1958	24.70	22.33	0.04	2.33	0.00	24.14	0.04	0.52	0.00
1959		24.70	22.39	0.04	2.27	0.00	24.14	0.04	0.52	0.00

REMARKS: Layout is to scale as of 1931.


(1) Accumulated thickness. (2) Br. 6039, W1010D; Br. 6038, W105D; Br. 5034, 75x27 L.T.; Br. 6332, W1210D; Br. 5035, 160x27 H.T.

PREPARED BY
 BUREAU OF POLICY & PLANNING
 IN COOPERATION WITH
 U. S. DEPARTMENT OF TRANSPORTATION - FEDERAL HIGHWAY ADMINISTRATION


STATE OF MINNESOTA
 DEPARTMENT OF TRANSPORTATION
 CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 6401
 TRUNK HIGHWAY 14
 COUNTY Redwood
 DISTRICT 7

LIMITS: Lyon/Redwood Co. Line - Redwood/Brown Co. Line
 Ref. Pts. 43+00.815 - 68+00.533



YEAR BUILT	PROJECT No	DESCRIPTION			
		TYPE	WIDTH	THICKNESS	REMARKS
M	2008 8827-102	Crack Seal			Type 3725
C	2009 6401-32	Milling Bit. Overlay	27' 28'	3" 3"	Spec. 2360
C	2011 8828-135	Bit. Overlay Agg. Shldring.	28' 3'	1 1/2" 0-2.4"	Spec. 2360 Class 1
C	2014 8828-164	Milled Rumble Strips			
C	2015 8828-134	Milled Rumble Strips			
C	2016 6401-36	Bit. Mill & Overlay	var.	1.5"	Spec. 2360
C	2019 6401-37	Cold-in-place-Recycle 1" Mill & Bit. Surf. SealCoat & Fog Seal	var.	3/4" 2" 5.5' agg. shldrs cl.1	Spec. 2360



YEARS FROM	TO	TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
			RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.	RDWY. MI.	BR. MI.

REMARKS: _____

