


PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 8003
TRUNK HIGHWAY 71
COUNTY Wadena
DISTRICT 3A

LIMITS: S. Co. Line - Jct. T.H. 10 in Wadena



| YEAR BUILT | PROJECT N ^o | DESCRIPTION | | | CODE N ^o |
|------------|------------------------|----------------------------------|-------|-----------|----------------------------------------------------------|
| | | TYPE | WIDTH | THICKNESS | |
| | | Gravel | | | No Record of Constr. |
| 1922 | 71-4-20 | Concrete | Var | | |
| 1924 | 71-4-29-1 | Grading | 32' | | |
| 1926 | 71-4-29-1 | Gravel | 24' | 2" | |
| | (1) | | | | |
| 1930 | 71-4-29-1 | Oil Tr. Gravel | 30' | 1" | 12770 Gal./Mile. Maint. Dept. |
| 1930 | | Oil Tr. Gravel | 30' | | 13216 Gal./Mile. Maint. Dept. |
| | (1) | | | | |
| 1931 | 71-4-29-1 | Tar Tr. Gravel | 28' | 1" | Maint. Dept. |
| 1931 | | Tar Tr. Gravel | 28' | | 6565 Gal./Mile. Maint. Dept. |
| 1936 | 71-4-29-4 | Crossing Signal | | | |
| M | | | | | |
| 1941 | A.F.E. 40 | Bit. Seal Coat | | | RC3, 3676 Gal./Mi. Sand 98 C.Y./Mi. Maint. Dept. |
| M | | | | | |
| 1943 | A.F.E. 4 | Spot Treat. Bit. Surf. Repair | 24' | | MC-2, 5543 Gal./Mi. Agg. 309 C.Y./Mi. Maint. Dept. |
| M | | | | | |
| 1945 | A.F.E. 4 | Bit. Surf. Repair | 24' | | RT-6, 7118 Gal./Mi. Grav. 369 C.Y./Mi. Maint. Div. |
| M | | | | | |
| 1948 | A.F.E. 4 | Bit Surf Repair | 24' | | MC-3, 3875 Gal. Agg. 212 C.Y. |
| M | | | | | |
| 1949 | A.F.E. 4 | Bit. Fog Seal | 24' | | RC5-1, 4515 Gal. Agg. 130 C.Y. |



| YEARS | | TOTAL MILES | UNINCORPORATED | | INCORPORATED | | RURAL | | URBAN | |
|-------|------|-------------|----------------|---------|--------------|---------|-----------|---------|-----------|---------|
| FROM | TO | | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. |
| 1924 | 1952 | 5.45 | 4.22 | 0.00 | 1.23 | 0.00 | 4.22 | 0.00 | 1.23 | 0.00 |
| 1953 | | 6.44 | 4.22 | 0.00 | 1.22 | 0.00 | 4.22 | 0.00 | 1.22 | 0.00 |


REMARKS: Layout is to scale as of 1924.
(1) This work not done under this project number but lies within the limits of this project.

PREPARED BY
HIGHWAY PLANNING SURVEY
IN COOPERATION WITH
U.S. PUBLIC ROADS ADMINISTRATION


STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 8003
TRUNK HIGHWAY 71
COUNTY Wadena
DISTRICT 3A

LIMITS: S. Co. Line - Jct. T.H. 10 in Wadena
Ref. Pt. 219+00.635 - 225+00.068



| YEAR BUILT | PROJECT N° | DESCRIPTION | | | CODE N° |
|------------|-------------------|--------------------------------------------------------------|------------|------------|---------------------------------------------------------|
| | | TYPE | WIDTH | THICK-NESS | |
| M | | | | | |
| 1952 | A.F.E. 4 | Bit. Surf. Repair | 24' | | SC-3, 33885 Gal. Agg. 2028 C.Y. |
| C | | | | | |
| 1953 | 8003-05 | Grading Grav. & Salv. Bit. Ext. W104 & W84 | 34'52" | 4'-9" | |
| C | | | | | |
| 1953 | A.F.E. 98 | Bit. Surfacing Mixed Bit. (Mixed Prime) | 28'52" | 2" | MC2, 87914 Gal. |
| C | | | | | |
| 1954 | 8003-07 | Grade Xing Signal | | | |
| C | | | | | |
| 1955 | 8003-08 | Plant Mix Bit. | 24'50" | 3" | |
| M | | | | | |
| 1956 | A.F.E. 605 | Bit. Seal Coat | 24'46" | | RS-2, 16226 Gal. Agg. 576 C.Y. |
| C | | | | | |
| 1959 | 8003-09 | Traffic Signals | | | |
| C | | | | | |
| 1969 | 8003-14 | Traffic Control Signal System | | | At Ash Ave. & Jefferson St. in Wadena. |
| C | | | | | |
| 1970 | 8003-11 | Street Widening Pl. Mix Bit. Surf. G. & G. Storm Sewer | 60'-2 1/2" | 5' | |
| C | | | | | |
| 1974 | -15 | Traffic Control Signal System | | | At Bryant Ave. & Celtax Ave. (T.H. 29) in Wadena. |
| C | | | | | |
| 1987 | 8003-21 | Grading Bit. Overlay | 24' | 1" | Spec. 2341 |
| C | | | | | |
| 1992 | 8003-24 | Mill & Bit. Overlay | Var. | Var. | Spec. 2341 |
| M | | | | | |
| 1999 | 8003-99212 | Gravel Surfacing | 5' | 1 1/2" | Class 1 |
| S | | | | | |
| 2006 | S06144 8003-29 | Grading, Bit. Milling & Surfacing & Culverts | 24' | 1.75" | Spec. 2360 |



| YEARS | | TOTAL MILES | UNINCORPORATED | | INCORPORATED | | RURAL | | URBAN | |
|-------|----|-------------|----------------|---------|--------------|---------|-----------|---------|-----------|---------|
| FROM | TO | | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. | RDWY. MI. | BR. MI. |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

REMARKS: See Sheet No. 1
See Line 14: In 2003, Municipal Agreement #80335, City of Wadena Added Bit. 2360 over Concrete from Ref. Point 224+00.458 to 224+00.614 in the City of Wadena. But, Contract U-10183 (Mun. Agreement #80335) goes from 224+00.614 - 225+00.068. The BOC former note was a correction to the Roadlog.

