


PREPARED BY
TRANSPORTATION & TRANSIT PLANNING & PROGRAMMING DIVISION
IN COOPERATION WITH

STATE OF MINNESOTA
DEPARTMENT OF HIGHWAYS
ROAD LIFE STUDIES
CONSTRUCTION PROJECT LOG RECORD

CONTROL SECTION 4680 B
TRUNK HIGHWAY 90
COUNTY Martin
DISTRICT 7B

LIMITS: Jct. T.H. 263 - East Martin County Line

YEAR BUILT	PROJECT NO	DESCRIPTION	THICKNESS		REMARKS
			WIDTH	THICKNESS	
C	-13				
1973	116 090 2(48) 082	Grading			
C	-16	Grading Br. 46813			279' P.P.G.
1973	1 090 2(50) 094	Br. 46813, 46816 Br. 46814			(2) 64' P.P.G. 322' P.P.G.
C	-12	Grading Br. 46829			308' P.P.G.
1975	116-090 2(41) 100	Br. 46817, 46818 Br. 46833, 46834			(2) 145' P.P.G. (2) 190' P.P.G.
C	-46835	Br. 46835			147' P.P.G.
1975	116-090-2(40) 100 Br. 46836	Br. 46836			147' P.P.G.
C	-22	Grading			
1975	1 090 2(40) 104	Br. 46823 Br. 46831			304' P.P.G. 308' P.P.G.
C	-23	Grading			
1975	1 090 2(46) 109	Br. 46827			304' Beam Span
C	-37	Gravel Base	30'	6"	
1975	116-090-2(6) 086 2(090-2(6) 086	P.C. Concrete Pl. Mix Bit. Shldr.	20' 24"	9"	10' out & 3' in
C	-40, 41, 49	Gravel Base	30'	6"	
1975	116-090-2(6) 086 1090-2(6) 086	P.C. Concrete Pl. Mix Bit. Shldr.	20' 24"	9"	10' out & 3' in
C	-26, 33	Gravel Base	30'	6"	
1975	116 090 2(54) 100	P.C. Conc. Pl. Mix Bit. Shldr.	20' 24"	9"	10' out & 3' in
C	4680-27	Gravel Base	20' 30"	6"	
1976	116-090-2(6) 100 2(090-2(6) 100	P.C. Conc. Grav. & Conc. Shoulders	20' 24"	9"	10' out & 3' in
C	2280-08	Grading	20' 41"		
1976	1090-2(6) 112				
C	2280-29	Gravel Base	20' 32"		
1976	1090-2(6) 124 2(090-2(6) 124	P.C. Conc. Grav. & Conc. Shoulders	20' 24"	8"	10' out & 3' in
C	4680-56	P.C. Conc.	20' 24"		
1976	1090-2(6) 108	Pl. Mix Bit. Shoulders			10' out & 3' in
C	4680-44				
1977					



YEARS		TOTAL MILES	UNINCORPORATED		INCORPORATED		RURAL		URBAN	
FROM	TO		ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.	ROWY. MI.	BR. MI.
		14.37	13.77	0.13	0.34	0.13	13.77	0.13	0.34	0.13

REMARKS: Layout is to scale as of 1974

